


V270

SKID LOADERS



GEHL.

Dimensioni (SL) - Gehl		Metrico
Altezza operativa massima con benna completamente sollevata		4251.96 mm
Altezza al perno con benna completamente sollevata	h28	3309.62 mm
Altezza tetto protezione ROPS	h17	2057.4 mm
Lunghezza complessiva con benna	l16	3759.2 mm
Angolo di scarico alla massima altezza		42
Altezza di scarico		2540 mm
Altezza di scarico alla massima altezza		812.8 mm
Angolo di richiamo al suolo		29
Angolo di richiamo alla massima altezza		94
Altezza sedile da terra		1016 mm
Interasse		1257.3 mm
Larghezza massima senza benna	b1	1765.3 mm
Larghezza della benna		1778 mm
Luce da terra	m4	203.2 mm
Lunghezza massima - Senza benna	l3	2959.1 mm
Angolo di uscita posteriore		25
Raggio di ingombro - Anteriore con benna	b18	2286 mm
Raggio di ingombro - Anteriore senza benna	b19	1422.4 mm
Raggio di ingombro - Posteriore	wa3	1689.1 mm
Specifiche standard dimensioni pneumatici		12.00x16.5 HD



GEHL®

Siège Social

P.O. Box 179 - One Gehl Way - West Bend, WI, USA 53095

Tel: (262) 334-9461 - Fax: (262) 338-7517

www.gehl.com



This brochure describes versions and configuration options for Gehl products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Gehl reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Gehl dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Gehl and may not be used without authorization. All rights reserved. The photos and diagrams contained in this brochure are provided for information only. MANITOU EQUIPMENT AMERICAS, LLC - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS West Bend